

## The correct classification of *Odontella rhombus* f. *trigona* (*Biddulphiaceae*, *Mediophyceae*), observed in the monitoring of European coastal waters

Wolf-Henning Kusber, Botanischer Garten Berlin, Freie Universität Berlin, Königin-Luise-Str. 6-8, D-14195 Berlin, Germany (correspondence: [w.h.kusber@bo.berlin](mailto:w.h.kusber@bo.berlin))

Jonas Zimmermann, Botanischer Garten Berlin, Freie Universität Berlin, Königin-Luise-Str. 6-8, D-14195 Berlin, Germany

During marine coastal monitoring in Germany in accordance with the Marine Strategy Framework Directive (MSFD) and the Water Framework Directive (WFD) of the European Union the following related names have been reported: *Biddulphia rhombus* (Ehrenberg) W. Smith, *Biddulphia rhombus* var. *trigona* Cleve ex Van Heurck, *Odontella rhombus* (Ehrenberg) Kützing, *Odontella rhombus* f. *trigona* (Cleve ex Van Heurck) R. Ross, and *Zygoceros rhombus* Ehrenberg. These five names represent three taxa. However, it appears that only two taxa have been observed currently, as *Odontella rhombus* is only known from the fossil record.

The current checklists and identification books for the North Sea and the Baltic accept *Odontella rhombus* and *Odontella rhombus* f. *trigona* (Hällfors 2004: 65, Hoppenrath & al. 2009: 93, 94, 96, figs 40 d-j, Kraberg & al. 2010: 96, figs a-c). Comprehensive phylogenetic studies by Ashworth & al. (2013) suggests that *Odontella* C. Agardh as widely understood is not monophyletic. The nomenclatural type of *Odontella*, *Odontella aurita* (Lyngbye) C. Agardh, is nested in a different branch than the taxa here discussed. The clade of *Odontella rhomboidea* R. Jahn & Kusber includes the holotype of the genus *Zygoceros* Ehrenberg (Ehrenberg 1839: 156, Jahn & Kusber 2004). Lavigne & al. (2015) accepted *Zygoceros* taxonomically and Guiry & Guiry (2023) follow this taxonomic treatment. It should be mentioned that disregarding the acceptance of *Trieres* Ashworth & E.C. Theriot (Ashworth & al. 2013, Sims & al. 2018), synonym *Microtheca* Ehrenberg (Williams & al. 2017, Kusber & al. 2018, Andersen 2020, Wilson 2022), all clades around *Odontella sensu lato* lack a complete monographic treatment (see Sims & al. 2018).

Since many recombinations and replacement names have been introduced in the past, the nomenclatural history is not entirely clear. Even though Lavigne & al. (2015) published a thorough taxonomic treatment, we here refer to the names related to the taxa under discussion. The aim of the present note is to propose correct names for the rhomboid and trigonal frustules, observed in recent coastal monitoring. According to the data and findings in Ashworth & al. (2013), both belong to the same subclade that include the type of *Zygoceros*, *Zygoceros rhombus* Ehrenberg (see Jahn & Kusber 2004). The genetic differences of the clade shown by the data in the INSDC nucleotide repositories (International Nucleotide Sequence Database Collaboration, <https://www.insdc.org/>) in delineations from the other clades also supports this decision. At a taxon level, the differences in the molecular data are not sufficiently decisive; therefore, a classification on species rank cannot validly be justified. We therefore propose here the following treatment.

*Zygoceros rhombus* Ehrenberg [var. *rhombus*] in *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich Preußischen Akademie der Wissenschaften zu Berlin* 1839: 156 1839, emend. Ehrenberg (1840: 160, pl. IV [4]: fig. XI [11]).

Homotypic synonyms: *Biddulphia rhombus* (Ehrenberg) W. Smith (in Roper), *Transactions of the Microscopical Society of London, New Series* 2: 76. 1854 (also Smith 1856: 56), *Odontella rhomboidea* R. Jahn & Kusber in *Willdenowia* 34: 584. 2004 [non *Odontella rhombus* (Ehrenberg) Kützing 1849 = *Denticella rhombus* Ehrenberg].

**Zygoceros rhombus** var. *trigonus* (Cleve ex Van Heurck) Kusber & J.Zimmermann, comb. nov.

Registration: <http://phycobank.org/103767>

Basionym: *Biddulphia rhombus* var. *trigona* Cleve ex Van Heurck, *Synopsis de Diatomées de Belgique*: pl. XCIX [99]: fig. 2. 1882, emend. Cleve (in Van Heurck 1885: 205).

Synonyms: *Odontella rhombus* f. *trigona* (Cleve) R.Ross (in Hartley 1986: 609), *Biddulphia rhombus* f. *trigona* Hustedt, *Rabenhorst's Kryptogamen Flora von Deutschland, Österreich und der Schweiz* 7(1) 843, fig. 498, 1930, nom. illeg., non Brun (Brun & al. 1890: 22, pl. IV [4]: fig. 3).

Excluded taxon from recent monitoring: *Zygoceros ehrenbergii* Sar (in Lavigne & al. 2016) ≡ *Odontella rhombus* (Ehrenberg) Kützing, *Species Algarum*: 136, 1849 ≡ *Denticella rhombus* Ehrenberg in *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich Preußischen Akademie der Wissenschaften zu Berlin*. 1844: 79, 1844.

Dr Petra Schilling (German Environment Agency) pointed out inconsistencies of the data delivered during marine coastal monitoring in Germany. WHK acknowledges the funding from the LAWA (German Working Group on water issues of the Federal States and the Federal Government represented by the Federal Environment Ministry) project “Anschubfinanzierung zur Übernahme der Pflege der Taxaliste der Gewässerorganismen Deutschlands durch das Umweltbundesamt” Grant no. O 3.20.

- Andersen, R.A. (2020). Report of the Nomenclature Committee for Algae: 21. *Taxon* 69(2): 390.
- Ashworth, M.P., Nakov, T. & Theriot, E.C. (2013). Revisiting Ross and Sims (1971): toward a molecular phylogeny of the Biddulphiaceae and Eupodiscaceae (Bacillariophyceae). *Journal of Phycology* 49(6): 1207–1222.
- Brun, J[-J.], Cleve, P.T., Grove, E., Rattray, J., Tempère, J. & Thomas (1890). Diatomées rares ou nouvelles. *Le Diatomiste* 1(2): 21–24.
- Ehrenberg, C.G. (1939). Über jetzt noch zahlreich lebende Thierarten der Kreideformation der Erde. Bericht über die zur Bekanntmachung geeigneten *Verhandlungen der Königlich Preußischen Akademie der Wissenschaften zu Berlin* 1839: 152–157.
- Ehrenberg, C.G. (1840). Über jetzt zahlreich lebende Thierarten der Kreidebildung und den Organismus der Polythalaminen. *Abhandlungen der Königlichen Preußischen Akademie der Wissenschaften zu Berlin* 1839: [81]–174, 4 Tafeln.
- Ehrenberg, C.G. (1844). Mittheilung über 2 neue Lager von Gebirgsmassen aus Infusorien als Meeres-Absatz in Nord-Amerika und eine Vergleichung derselben mit den organischen Kreide-Gebilden in Europa und Afrika. *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich Preußischen Akademie der Wissenschaften zu Berlin* 1844: 57–97.
- Guiry, M.D. & Guiry, G.M. (2023). AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. <https://www.algaebase.org>; searched on 01 May 2023.
- Hälfors, G. (2004). Checklist of Baltic Sea phytoplankton species (including some heterotrophic protistan groups). *Baltic Sea Environment Proceedings* 95: [1]–208
- Hartley, B. [in collaboration with Ross, R. & Williams, D.M.] (1986). A check-list of the freshwater, brackish and marine diatoms of the British Isles and adjoining coastal waters. *Journal of the Marine Biological Association of the United Kingdom* 66(3): 531–610.
- Hoppenrath, M., Elbrächter, M. & Drebes, G. (2009). *Marine phytoplankton. Selected microphytoplankton species from the North Sea around Helgoland and Sylt*. pp. [1]–264, figs 1–87. Stuttgart: E. Schweizerbart'sche Verlagsbuchhandlung.
- Hustedt, F. (1930). Die Kieselalgen Deutschlands, Österreichs und der Schweiz unter Berücksichtigung der übrigen Länder Europas sowie der angrenzenden Meeresgebiete. Bd. VII: Teil 1: Lieferung 4–5. In: *Rabenhorst's Kryptogamen Flora von Deutschland, Österreich und der Schweiz*.

- Schweiz. (Anon. Eds), pp. 609–920, figs 353–542. Leipzig: Akademische Verlagsgesellschaft m.b.h.
- Jahn, R. & Kusber, W.-H. (2004). Algae of the Ehrenberg collection - 1. Typification of 32 names of diatom taxa described by C.G. Ehrenberg. *Willdenowia* 34(2): 577–595, 1 table.
- Kraberg, A., Baumann, M. & Dürselen, C.-D. (2010). *Costal phytoplankton. Photo guide for northern European seas.* Pp. [1]–204. München: Verlag Dr. Friedrich Pfeil.
- Kützing, F.T. (1844). Die Kieselchaligen Bacillarien oder Diatomeen. pp. [i-vii], [1]-152, pls 1–30. Nordhausen: W. Köhne.
- Kützing, F.T. (1849). *Species algarum.* pp. [i]-vi, [1]-922. Lipsiae [Leipzig]: F.A. Brockhaus.
- Kusber W.-H., Skibbe O. & Jahn R. (2018). Is *Trieres* Ashworth & E.C.Theriot 2013 (Bacillariophyta) a superfluous redescription of *Microtheca* Ehrenberg 1838? *Notulae Algarum* 81: 1–6.
- Lavigne, A.S., Sunesen, I. & Sar, E.A. (2015). Morphological, taxonomic and nomenclatural analysis of species of *Odontella*, *Trieres* and *Zygoceros* (Triceratiaceae, Bacillariophyta) from Anegada Bay (Province of Buenos Aires, Argentina). *Diatom Research* 30(4): 307–331.
- Roper, F.C.S. (1854). Some observations on the Diatomaceae of the Thames. *Transactions of the Microscopical Society of London, New Series* 2: 67–80.
- Sims, P.A., Williams, D.M. & Ashworth, M.[P.] (2018). Examination of type specimens for the genera *Odontella* and *Zygoceros* (Bacillariophyceae) with evidence for the new family Odontellaceae and a description of three new genera. *Phytotaxa* 382(1): 1–56, 156 figs, 2 text-figs.
- Smith, W. (1856). *A synopsis of the British Diatomaceae; with remarks on their structure, functions and distribution; and instructions for collecting and preserving specimens.* The plates by Tuffen West. In two volumes. Vol. II. pp. [i]-xxix, 1–107, pls 32–60, 61–62, A–E. London: John van Voorst, Paternoster Row.
- Van Heurck, H. (1882). *Synopsis de Diatomées de Belgique. Atlas. I(5).* Plates 78–103. Anvers [Antwerpen]: Édité par l'Auteur.
- Van Heurck, H. (1885). *Synopsis de Diatomées de Belgique. Texte.* [i-viii], [1]–235. Anvers [Antwerpen]: Édité par l'Auteur.
- Williams, D.M., Sims, P.A., Ashworth, M. & Theriot, E.C. (2017). (2561–2562) Proposals to reject the names *Microtheca* and *Anuraea octoceras* (*M. octoceras*) (Bacillariophyceae). *Taxon* 66(6): 1466–1467.
- Wilson, K.L. (2022). Report of the General Committee: 24. *Taxon* 71(6): 1315–1318.